NEW

Durant Tool Company

Manufacturers of
Exhibit Display Turntables
Factory Automation Turntables
Stretch Wrapping / Packaging Turntables



www.durantco.com

Durant Tool Company

Manufacturers of
Exhibit Display, Factory Automation &
Packaging Turntables



Good Morning!

Here is your special copy of the completely new, full color DURANT TOOL Turntable Catalog, packed with 12 pages of the latest products and accessories.

Everything is at outstanding prices. For over 75 years Durant manufacturing, engineering and development have helped our customers worldwide find superior items offering the finest quality and best dollar value.

Pedestal Turntables, Cabinet Turntables, Factory/Automation Turntables, Stretch Wrapping Accumulation/ Collecting Turntables, Exhibit and Display Turntables, are manufactured in our modern factory with the highest quality components and specifications at the most competitive prices.

Standard machines are available in weight capacities to 12,000 lbs and 30' diameter turntables. Custom machines to customer specifications are available.

When your exhibit display, automation and packaging operations require turntables, look to Durant Tool Company.

See for yourself. Look through the catalog now and compare. I think you will agree that these are excellent products at prices among the lowest in the industry. I promise you that they will perform trouble-free, over and over for years and years.

Durant products are warrantied for three full years against all material or workmanship failure. (See our warranty on our website for details.) We will replace it or repair it.

So pick out the items you need, telephone, e-mail, fax or mail in your order. We will do the rest. For even faster service, call TOLL FREE 1-800-D-DURANT between 8:00am and 4:30pm EST / DST. Or FAX 401-738-2586, 24 hours a day.

Either way our friendly, knowledgeable customer service representatives are standing by, waiting to process your order – quickly, accurately and completely.

How can you lose? Quality products! Competitive pricing! Reliable delivery! And every Durant item is warrantied! If you are a long time Durant customer you know that is true. If you have not done business with us before, try us now and you will find out that it really is.

I look forward to receiving your order, and I thank you in advance.

Sincerely,
Edward W. Bouclin

200 Circuit Drive, North Kingstown, RI 02852 • USA • Phone: 1-401-781-7800 • Toll Free: 800-338-7268 • Fax: 1-401-738-2586
www.durantco.com

Trained International Distributor Network

Durant has 200 trained, experienced Metal Stamping Distributors, throughout North America, South America, Europe, Middle East and Asia. Use our toll free number.

1-800-D-DURANT or 1-800-338-7268
FOR YOUR NEAREST METAL STAMPING DISTRIBUTOR.

©2013 Copyright by DURANT TOOL COMPANY

Durant Turntables

Durant manufactures the largest selection of ***Non Motorized*** *and* ***Variable Speed Motorized Turntables*** *for every type of requirement.*

Whatever type of item you want to turn,
Durant has the Rotary Turntable to turn it!

Durant's Rotary Turntables are utilized for exhibits and displays, factory and industrial automation, packaging industries, and most every type of rotation requirement.

Our weight capacities range from 50 lbs to 12,000 lbs and turntable diameters to 30´. Standard turntable rotation speeds are 0-16 rpm or specify.

All machines have a 3 year warranty utilizing the highest quality components.

The motorized turntables have a variable speed drive controller with foot pedal and reversing features. We insure that the turntable satisfies your specific requirements.

Table Top
Rotary Turntables
Motorized and Non-Motorized

Rotating 115 Volt
Power Outlet In Turntable For Powering
Lighted Displays or Machines

High Profile Turntable
Motorized and Non-Motorized

Pedestal Turntable

Heavy Duty Custom Rotary
Turntables up to 12,000 lb. Capacity

Motorized High Profile Turntable For
Stretch Wrapping

High Profile Turntables

1) Durant Manufactures the largest selection of turntables for:
   - Exhibit Display
   - Factory Automation
   - Packaging/Stretch Wrapping
   - Accumulation and Collecting Items
2) Durant offers a standard (3) year warranty on all turntables
3) Durant's quality, manufacturing and components are Rated #1
4) Durant pricing is always at the most competitive levels

Features:

- USA Manufactured
- Heavy duty, rugged turntable and base construction
- Safe and easy to move with a fork lift
- 3 year warranty
- Models to 12,000 lbs capacity
- Turntable diameters to 30' O.D.
- Speeds 0-16 RPM
- Anti Slip Turntable Cover
- Quiet chain drive. No slippage with belt drives and friction wheels
- Manual Speed Control
- Low voltage foot pedal with an 8' cord
- (2) Heavy duty bearings
- Special sizes to customer specifications
- Custom paint colors to customer specifications



Model XT-4048-M
High Profile Motorized

High Profile Turntables

High Profile Rotary Turntables Non-Motorized

Model	Weight Capacity	Turntable Diameter
XT-230-U	250 LBS (115 kg)	30” (762 mm)
XT-236-U	250 LBS (115 kg)	36” (915 mm)
XT-248-U	250 LBS (115 kg)	48” (1219 mm)
XT-530-U	500 LBS (228 kg)	30” (762 mm)
XT-536-U	500 LBS (228 kg)	36” (915 mm)
XT-548-U	500 LBS (228 kg)	48” (1219 mm)
XT-1030-U	1000 LBS (455 kg)	30” (762 mm)
XT-1036-U	1000 LBS (455 kg)	36” (915 mm)
XT-1042-U	1000 LBS (455 kg)	42” (1067 mm)
XT-2030-U	2000 LBS (909 kg)	30” (762 mm)
XT-2036-U	2000 LBS (909 kg)	36” (915 mm)
XT-2042-U	2000 LBS (909 kg)	42” (1067 mm)
XT-4036-U	4000 LBS (1818 kg)	36” (915 mm)
XT-4042-U	4000 LBS (1818 kg)	42” (1067 mm)
XT-4048-U	4000 LBS (1818 kg)	48” (1219 mm)
XT-4060-U	4000 LBS (1818 kg)	60” (1524 mm)
XT-5042-U	5000 LBS (2273 kg)	42” (1067 mm)
XT-5048-U	5000 LBS (2273 kg)	48” (1219 mm)
XT-5060-U	5000 LBS (2273 kg)	60” (1524 mm)
XT-5072-U	5000 LBS (2273 kg)	72” (1830 mm)
XT-5084-U	5000 LBS (2273 kg)	84” (2134mm)
XT-5092-U	5000 LBS (2273 kg)	92” (2335 mm)
XT-6048-U	6000 LBS (2721 kg)	48” (1219 mm)
XT-6060-U	6000 LBS (2721 kg)	60” (1524 mm)
XT-6072-U	6000 LBS (2721 kg)	72” (1830 mm)
XT-6084-U	6000 LBS (2721 kg)	84” (2134 mm)
XT-6092-U	6000 LBS (2721 kg)	92” (2335 mm)

High Profile Variable Speed Motorized Rotary Turntables

Model	Weight Capacity	Turntable Diameter	Motor
XT-230-M	250 LBS (115 kg)	30” (762 mm)	⅓ HP 115V
XT-236-M	250 LBS (115 kg)	36” (915 mm)	⅓ HP 115V
XT-248-M	250 LBS (115 kg)	48” (1219 mm)	⅓ HP 115V
XT-530-M	500 LBS (228 kg)	30” (762 mm)	½ HP 115V
XT-536-M	500 LBS (228 kg)	36” (915 mm)	½ HP 115V
XT-548-M	500 LBS (228 kg)	48” (1219 mm)	½ HP 115V
XT-1030-M	1000 LBS (455 kg)	30” (762 mm)	½ HP 115V
XT-1036-M	1000 LBS (455 kg)	36” (915 mm)	½ HP 115V
XT-1042-M	1000 LBS (455 kg)	42” (1067 mm)	½ HP 115V
XT-2030-M	2000 LBS (909 kg)	30” (762 mm)	¾ HP 115V
XT-2036-M	2000 LBS (909 kg)	36” (915 mm)	¾ HP 115V
XT-2042-M	2000 LBS (909 kg)	42” (1067 mm)	¾ HP 115V
XT-4036-M	4000 LBS (1818 kg)	36” (915 mm)	¾ HP 115V
XT-4042-M	4000 LBS (1818 kg)	42” (1067 mm)	¾ HP 115V
XT-4048-M	4000 LBS (1818 kg)	48” (1219 mm)	¾ HP 115V
XT-4060-M	4000 LBS (1818 kg)	60” (1524 mm)	¾ HP 115V
XT-5042-M	5000 LBS (2273 kg)	42” (1067 mm)	1 HP 115V
XT-5048-M	5000 LBS (2273 kg)	48” (1219 mm)	1 HP 115V
XT-5060-M	5000 LBS (2273 kg)	60” (1524 mm)	1 HP 115V
XT-5072-M	5000 LBS (2273 kg)	72” (1830 mm)	1 HP 115V
XT-5084-M	5000 LBS (2273 kg)	84” (2134mm)	1½HP 115V
XT-5092-M	5000 LBS (2273 kg)	92” (2335 mm)	1½HP 115V
XT-6048-M	6000 LBS (2721 kg)	48” (1219 mm)	1 HP 115V
XT-6060-M	6000 LBS (2721 kg)	60” (1524 mm)	1 HP 115V
XT-6072-M	6000 LBS (2721 kg)	72” (1830 mm)	1 HP 115V
XT-6084-M	6000 LBS (2721 kg)	84” (2134 mm)	2 HP 115V
XT-6092-M	6000 LBS (2721 kg)	92” (2335 mm)	2 HP 115V

Features:

- USA Manufactured
- Heavy Duty Rugged Turntables and Base Construction
- Safe and Easy to Move
- Models to 12,000 lbs Capacity
- Special Turntable Diameters to 30´
- Heavy Duty Main Spindle Shaft and Bearings
- Quiet Variable Speed Drive
- Low Voltage Foot Pedal with 8' cord

Benefits:

- Smooth Turntable Rotation
- Heavy Duty Base Construction
- Safe and Easy to Move
- Durant’s Quality, Manufacturing and Components are Rated #1
- 3 Year Warranty
- Versatile Machine for many Rotary Turntable Applications
- Durant Pricing is Always at the Most Competitive Levels

Options:

- 115 Volt Power Outlet in Turntable
- Hand Operated Control
- Special Turntable Diameters to 30´
- Special Turntable Height
- Special Weight Capacities to 12,000 lbs
- Indexing Turntable Option
- Zero Speed E/Stop Air Brake System
- Anti Slip Rubber Turntable Cover
- Special Turntable RPM
- Special Paint Color Ivory or Black Standard

Durant Turntables

Table Top
Rotary Turntables
Motorized and Non-Motorized

High Profile Turntable
Motorized and Non-Motorized

Rotating 115 Volt
Power Outlet In Turntable For Powering
Lighted Displays or Machines

Pedestal Turntable

Heavy Duty Custom Rotary
Turntables up to 12,000 lb. Capacity

Motorized High Profile Turntable For
Stretch Wrapping

Exhibit Display Automation Turntables

115 Volt Power Outlet in Turntable Top for Rotating Power

Ideal for Lighting Rotary Displays and Powering Items on Turntable Top



Table Top Rotary Turntables

VARIABLE SPEED MOTORIZED				
Model	Weight Capacity	Height	Turntable Diameter	RPM
LXTP-100-18	100 lbs.(45kg)	9"	18"(457MM)	0-5 or specify
LXTP-250-18	250 lbs.(115kg)	9"	18"(457MM)	0-5 or specify
LXTP-500-18	500 lbs.(228kg)	9"	18"(457MM)	0-5 or specify
LXTP-750-18	750 lbs.(340kg)	9"	18"(457MM)	0-5 or specify
LXTP-100-24	100 lbs.(45kg)	9"	24"(610MM)	0-5 or specify
LXTP-250-24	250 lbs.(115kg)	9"	24"(610MM)	0-5 or specify
LXTP-500-24	500 lbs.(228kg)	9"	24"(610MM)	0-5 or specify
LXTP-750-24	750 lbs.(340kg)	9"	24"(610MM)	0-5 or specify

NON - MOTORIZED MODELS AVAILABLE CALL DURANT!
SPECIAL TURNTABLE DIAMETERS AVAILABLE
CALL DURANT!

Stretch Wrap Turntables

High Profile Stretch Wrap Turntables

Durant manufactures the largest selection of unmotorized and variable speed motorized stretch wrap turntables for every type of requirement. Whatever type of item you want to stretch wrap. Durant has the Rotary Turntable to Wrap It!

Durant's Stretch Wrap Turntables are utilized for exhibits and displays, factory and industrial automation, packaging industries, and most every type of stretch wrap requirement.

Our weight capacities range from 500lbs to 5000lbs and turntable diameters to 92". Standard turntable rotation speeds are 0-16RPM or specify.

All machines have a (3) year warranty utilizing the highest quality components.

The motorized turntables have a variable speed drive controller with foot pedal and reversing features. We insure that the turntable satisfies your specific requirements.

1) Durant Manufactures the largest selection of Stretch Wrap Turntables
2) Durant offers a standard (3) year warranty on all turntables
3) Durant's quality, manufacturing and components are Rated #1
4) Durant pricing is always at the most competitive levels
5) Durant Customer Service Specialists are a team focusing on your needs.
We are not satisfied until you are!



Model SW-XT-4048-M

Stretch Wrap Turntables

Features:

- USA Manufactured
- Heavy duty, rugged turntable and base construction
- Safe and easy to move with a fork lift
- 3 year warranty
- Models to 5,000 lbs capacity
- Turntable diameters to 92" O.D.
- Speeds 0-16 RPM
- Anti Slip Turntable Cover
- 60 pitch quiet chain drive. No slippage with belt drives & friction wheels
- Manual Speed Control
- Low voltage foot pedal with an 8' cord
- (2) Heavy Duty bearings
- Special sizes to customer specifications
- Custom paint colors to customer specifications

Motorized High Profile Turntable For Stretch Wrapping

Options:

- Hand Operated Control
- Special Turntable Diameters
- Special Turntable Height
- Indexing Turntable Option
- Anti-Slip Rubber Turntable Cover
- Special Turntable RPM
- Special Paint Color Ivory or Black Standard

Model	Weight Capacity	Turntable Diameter	Motor
SW-XT-530-M	500 LBS (227 kg)	30” (762 mm)	½ HP 115V
SW-XT-536-M	500 LBS (227 kg)	36” (915 mm)	½ HP 115V
SW-XT-542-M	500 LBS (227 kg)	42” (1067 mm)	½ HP 115V
SW-XT-1030-M	1000 LBS (455 kg)	30” (762 mm)	½ HP 115V
SW-XT-1036-M	1000 LBS (455 kg)	36” (915 mm)	½ HP 115V
SW-XT-1042-M	1000 LBS (455 kg)	42” (1067 mm)	½ HP 115V
SW-XT-2030-M	2000 LBS (909 kg)	30” (762 mm)	¾ HP 115V
SW-XT-2036-M	2000 LBS (909 kg)	36” (915 mm)	¾ HP 115V
SW-XT-2042-M	2000 LBS (909 kg)	42” (1067 mm)	¾ HP 115V
SW-XT-4036-M	4000 LBS (1818 kg)	36” (915 mm)	¾ HP 115V
SW-XT-4042-M	4000 LBS (1818 kg)	42” (1067 mm)	¾ HP 115V
SW-XT-4048-M	4000 LBS (1818 kg)	48” (1219 mm)	¾ HP 115V
SW-XT-4060-M	4000 LBS (1818 kg)	60” (1524 mm)	¾ HP 115V
SW-XT-5042-M	5000 LBS (2273 kg)	42” (1067 mm)	1 HP 115V
SW-XT-5048-M	5000 LBS (2273 kg)	48” (1219 mm)	1 HP 115V
SW-XT-5060-M	5000 LBS (2273 kg)	60” (1524 mm)	1 HP 115V
SW-XT-5072-M	5000 LBS (2273 kg)	72” (1830 mm)	1 HP 115V

Benefits:

- Smooth Turntable Rotation
- Heavy Duty Base Construction
- Safe and Easy to Move
- Durant's Quality Manufacturing and Components are Rated #1
- (3) Year Warranty
- Versatile Machine for most Stretch Wrapping Applications
- Durant Pricing is Always at the Most Competitive Levels

Indexing / Positioning Turntables

Model PC 2036



The Durant Indexing / Positioning Turntables are the ideal machine for collecting small parts as they are produced. Set a count mechanism to indicate the number of parts desired to be collected per container. Once you have produced the set number of parts, the turntable will index automatically to the next position. There are eight positions or container places available on our standard 36" diameter turntable. Larger turntables, up to 92" diameter with more than eight positions are available.

Indexing / Positioning Turntables

Model	Weight Capacity	Turntable Diameter	Number of Index Positions
PC-530	500 LBS (228 kg)	30” (762 mm)	8
PC-536	500 LBS (228 kg)	36” (915 mm)	8
PC-548	500 LBS (228 kg)	48” (1219 mm)	8
PC-1030	1000 LBS (455 kg)	30” (762 mm)	8
PC-1036	1000 LBS (455 kg)	36” (915 mm)	8
PC-1048	1000 LBS (455 kg)	48” (1219 mm)	8
PC-2030	2000 LBS (909 kg)	30” (762 mm)	8
PC-2036	2000 LBS (909 kg)	36” (915 mm)	8
PC-2048	2000 LBS (909 kg)	48” (1219 mm)	8
PC-2060	2000 LBS (909 kg)	60” (1524 mm)	8
PC-2072	2000 LBS (909 kg)	72” (1830 mm)	8
PC-3030	3000 LBS (1365 kg)	30” (762 mm)	8
PC-3036	3000 LBS (1365 kg)	36” (915 mm)	8
PC-3048	3000 LBS (1365 kg)	48” (1219 mm)	8
PC-3060	3000 LBS (1365 kg)	60” (1524 mm)	8
PC-3072	3000 LBS (1365 kg)	72” (1830 mm)	8
PC-5036	5000 LBS (2273 kg)	36” (915 mm)	8
PC-5078	5000 LBS (2273 kg)	48” (1219 mm)	8
PC-5060	5000 LBS (2273 kg)	60” (1524 mm)	8
PC-5072	5000 LBS (2273 kg)	72” (1830 mm)	8

NOTE: Customer to Specify Number of Index Positions Required

Pedestal/Cabinet Turntables

Pedestal Turntables

Model	Base	Turntable and Pedestal	Turntable Diameter	Leveling Feet 2" ±	Turntable RPM	Motor	Turntable Rim	Turntable Height	Reversible Variable Speed Control with Foot Pedal
SP-1000-PT	Pedestal	Painted Steel	12"-30"	4	0-16 RPM	1/8 HP 115V	Cage Type	34"	Standard

Cabinet Turntables

Model	Base	Turntable and Cabinet	Turntable Diameter	Leveling Feet 2" ±	Turntable RPM	Motor	Turntable Rim	Turntable Height	Reversible Variable Speed Control with Foot Pedal
SP-2030-CT	Cabinet	Painted Steel	30"	4	0-16 RPM	1/2 HP 115V	Cage Type	34"	Standard
SP-2036-CT	Cabinet	Painted Steel	36"	4	0-16 RPM	1/2 HP 115V	Cage Type	34"	Standard
SP-2042-CT	Cabinet	Painted Steel	42"	4	0-16 RPM	1/2 HP 115V	Cage Type	34"	Standard
SP-2048-CT	Cabinet	Painted Steel	48"	4	0-16 RPM	3/4 HP 115V	Cage Type	34"	Standard
SP-2060-CT	Cabinet	Painted Steel	60"	4	0-16 RPM	3/4 HP 115V	Cage Type	34"	Standard

Durant manufactures 6 Standard models of Pedestal and Cabinet mounted Variable Speed Motorized Turntables. Standard Turntable diameters are from 12" diameter to 60" diameter. Special Turntable diameters are available to customer specifications.

All models have a standard height of 34" from the turntable surface to the base. 4 adjustable leveling feet, with a ± 2" adjustment, are standard equipment with each turntable. Other heights are available. Customer to specify at no additional cost.

Durant Rotary Turntables are supported by a center drive shaft and hub. A variable speed drive with foot pedal and reversible switch insures that the turntable satisfies your specific requirements.

Features:

- USA Manufactured
- Heavy Duty Rugged Turntables and Base Construction
- Safe and Easy to Move
- Models from 12" diameter to 60" diameter Turntables
- Rugged Main Spindle Shaft and Bearings
- ±2" Adjustable Height with Leveling Feet
- Quiet Variable Speed Drive
- Low Voltage Foot Pedal with 8' Cord
- Low Voltage Hand Control

Pedestal Turntable

Options:

- Hand Operated Control
- Special Turntable Diameters
- Special Turntable Height
- Indexing Turntable Option
- Servo Drive Controller Option
- Solid Turntable Rim (Up or Down Specify)
- Special Paint Color

Cabinet Turntable with Turntable Rim

Benefits:

- Smooth Turntable Rotation
- Rugged Base and Cabinet Construction
- Highest Quality Components
- 3 Year Warranty
- Versatile Machine for many Rotary Turntable Applications

Durant Tool Company

200 Circuit Drive
North Kingstown, RI 02852 USA
(401) 781-7800
(800) 338-7268
Fax: (401) 738-2586
www.durantco.com